

# SEQUENCE LISTING

<110> Brod, Staley A.  
 <120> Method of Treating Auto-Immune Diseases Using Type  
 One Interferons  
 <130> D5716CIP2  
 <140> US 08/631,470  
 <141> 1998-04-12  
 <150> US 08/408,271  
 <151> 1995-03-24  
 <160> 6  
  
 <210> 1  
 <211> 21  
 <212> DNA  
 <213> artificial sequence  
 <220>  
 <222> 400..420  
 <223> Plus strand cytokine specific primer for the inducible  
 MxA mRNA designated by the relative position in the  
 human mRNA  
 <400> 1

gtggagcagg acctggccct g 21

<210> 2  
 <211> 20  
 <212> DNA  
 <213> artificial sequence  
 <220>  
 <222> 895..876  
 <223> Minus strand cytokine specific primer for the inducible  
 MxA mRNA designated by the relative position in the  
 human mRNA  
 <400> 2

gagcctctgt ggtggcaatg 20

<210> 3  
 <211> 25  
 <212> DNA  
 <213> artificial sequence  
 <220>  
 <222> 84..108  
 <223> Plus strand cytokine specific primer for the  
 constitutively expressed G3PDH mRNA designated by the  
 relative position in the human mRNA.  
 <400> 3  
 caacggattt ggctcgattg ggcgc 25  
 <210> 4  
 <211> 25  
 <212> DNA  
 <213> artificial sequence  
 <220>  
 <222> 1068..1094  
 <223> Minus strand cytokine specific primer for the  
 constitutively expressed G3PDH mRNA designated by the  
 relative position in the human mRNA.  
 <400> 4  
 ttactccttg gaggccatgt gggcc 25  
 <210> 5  
 <211> 21  
 <212> DNA  
 <213> artificial sequence  
 <220>  
 <222> 405..425  
 <223> Oligonucleotide probe, designated by the relative  
 position in the human mRNA, used to determine the  
 specificity of the amplified MxA mRNA.  
 <400> 5  
 accagatgcc ctctgggtgct g 21

<210> 6  
<211> 25  
<212> DNA  
<213> artificial sequence  
<220>  
<222> 687..663  
<223> Oligonucleotide probe, designated by the relative  
position in the human mRNA, used to determine the  
specificity of the amplified GAPDH mRNA.  
<400> 6

ggctctccag aacatcatcc ctgcc

25

~~SEQ 3~~